


Continuum of Care Nevada, 2016

Of persons who had been diagnosed with HIV through year-end 2015, 10,089 were alive at year-end 2016. Of those 10,089 PLWH, 37.4% were retained in care (percentage of persons who had ≥ 2 CD4 or viral load tests at least three months apart during 2016 among those diagnosed with HIV through year-end 2015 and alive at year-end 2016). Among those retained in care at the end of 2016, 75.7% had suppressed viral load (≤ 200 copies/mL) at the most recent test during 2016. Among PLWH year-end 2015 and alive at year-end 2016, 32.0% had suppressed viral load (≤ 200 copies/mL) at most recent test during 2016.

Of the 520 newly diagnosed cases of HIV in 2016, 82.7% were linked to care within three months after diagnosis during 2016.



Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), data as of March 2018.

^aDefined as persons diagnosed with HIV infection (regardless of stage of disease) through year-end 2015, who were alive at year-end 2016.

^bCalculated as the number of persons linked to care within 3 months after HIV diagnosis during 2016, divided by the total number of persons diagnosed with HIV infection in 2016. Linkage to care is based on the number of persons diagnosed during 2016, and is therefore shown in a different color than the other bars with a different denominator.

^cCalculated as the percentage of persons who had ≥ 2 CD4 or viral load test results at least 3 months apart during 2016 among those diagnosed with HIV through year-end 2015 and alive at year-end 2016.

^dCalculated as the percentage of persons who had suppressed VL (≤ 200 copies/mL) at most recent test during 2016, among those diagnosed with HIV through year-end 2015 and alive at year-end 2016.

[†]Calculated as number of persons who had suppressed VL (≤ 200 copies/mL) at most recent test during 2016, among those who were retained in care during 2016.