


Continuum of Care Nevada, 2017

Of persons who had been diagnosed with HIV through year-end 2016, 10,561 were alive at year-end 2017. Of those 10,561 PLWH, 39.6% were retained in care (percentage of persons who had ≥ 2 CD4 or viral load tests at least three months apart during 2017 among those diagnosed with HIV through year-end 2016 and alive at year-end 2017). Among those retained in care at the end of 2017, 81.1% had suppressed viral load (≤ 200 copies/mL) at the most recent test during 2017. Among PLWH year-end 2016 and alive at year-end 2017, 34.6% had suppressed viral load (≤ 200 copies/mL) at most recent test during 2017.

Of the 486 newly diagnosed cases of HIV in 2017, 85.4% were linked to care within three months after diagnosis during 2017.



Source: Division of Public and Behavioral Health, HIV/AIDS Reporting System (eHARS), data as of March 2018.

^aDefined as persons diagnosed with HIV infection (regardless of stage of disease) through year-end 2016, who were alive at year-end 2017.

^bCalculated as the number of persons linked to care within 3 months after HIV diagnosis during 2017, divided by the total number of persons diagnosed with HIV infection in 2017. Linkage to care is based on the number of persons diagnosed during 2017, and is therefore shown in a different color than the other bars with a different denominator.

^cCalculated as the percentage of persons who had ≥ 2 CD4 or viral load test results at least 3 months apart during 2017 among those diagnosed with HIV through year-end 2016 and alive at year-end 2017.

^dCalculated as the percentage of persons who had suppressed VL (≤ 200 copies/mL) at most recent test during 2017, among those diagnosed with HIV through year-end 2016 and alive at year-end 2017.

[†]Calculated as number of persons who had suppressed VL (≤ 200 copies/mL) at most recent test during 2017, among those who were retained in care during 2017.