

## Ryan White Part B Mid-Year Data Analysis 2022

Data Analysis Timeframe: April 1, 2022 – October 31, 2022

Total Unduplicated Clients: 4565

Total Service Units Delivered: 69,777

Overall Viral Suppression		
Type	Percentage	Number
Virally Suppressed	75%	3419
Non-Virally Suppressed	8%	353
Unknown Missing Labs	17%	793

Viral Suppression by Age								
Age	Number of Clients	% of Clients	Virally Suppressed #	Virally Suppressed %	Non-Virally Suppressed #	Non-Virally Suppressed %	Unknown/Missing Labs #	Unknown/Missing Labs %
0-12	11	0.24%	1	9.09%	0	0.00%	10	90.91%
13-24	147	3.22%	90	61.22%	21	14.29%	36	24.49%
25-34	964	21.12%	690	71.58%	95	9.85%	179	18.57%
35-44	1073	23.50%	776	72.32%	107	9.97%	190	17.71%
45-54	905	19.82%	692	76.46%	62	6.85%	151	16.69%
55-64	1010	22.12%	807	79.90%	57	5.64%	146	14.46%
65+	455	9.97%	363	79.78%	11	2.42%	81	17.80%

Viral Suppression by Gender								
Gender	Number of Clients	% of Clients	Virally Suppressed #	Virally Suppressed %	Non-Virally Suppressed #	Non-Virally Suppressed %	Unknown/Missing Labs #	Unknown/Missing Labs %
Female	745	16.32%	556	74.63%	55	7.38%	134	17.99%
Male	3679	80.59%	2768	75.24%	281	7.64%	630	17.12%
Refused to Report	0	0%	0	0%	0	0%	0	0%
Transgender FtM	5	0.11%	4	80%	0	0.00%	1	20%
Transgender MtF	134	2.94%	90	67.16%	17	12.69%	27	20.15%
Transgender Other	2	0.04%	1	50%	0	0.00%	1	50%
Unknown	0	0%	0	0%	0	0%	0	0%

Viral Suppression by HIV Risk Factor								
HIV Risk Factor	Number of Clients	% of Clients	Virally Suppressed #	Virally Suppressed %	Non-Virally Suppressed #	Non-Virally Suppressed %	Unknown/Missing Labs #	Unknown/Missing Labs %
Hemophilia/Coagulation Disorder	4	0.09%	2	50%	0	0.00%	2	50%
Heterosexual Contact	1076	23.57%	812	75.46%	75	6.97%	189	17.57%
Injection Drug Use (IDU)	174	3.81%	128	73.56%	13	7.47%	33	18.97%
Male-to-Male Sexual Contact (MSM)	2891	63.33%	2190	75.75%	225	7.75%	476	16.46%
MSM & IDU	57	1.25%	34	59.65%	12	21.05%	11	19.30%
Other	2	0.04%	2	100%	0	0.00%	0	0.00%
Not Specified	256	5.61%	172	67.19%	22	8.59%	62	24.22%
Perinatal Transmission	50	1.10%	33	66.00%	3	6.00%	14	28.00%
Transfusion	55	1.20%	46	83.64%	3	5.45%	6	10.91%

### Viral Suppression by Housing Status

Housing Status	Number of Clients	% of Clients	Virally Suppressed #	Virally Suppressed %	Non-Virally Suppressed #	Non-Virally Suppressed %	Unknown/Missing Labs #	Unknown/Missing Labs %
Stable/Permanently Housed	3222	70.58%	2658	82.50%	187	5.80%	377	11.70%
Temporarily Housed	216	4.73%	140	64.81%	46	21.30%	30	13.89%
Unstably Housed	206	4.51%	120	58.25%	50	24.27%	36	17.48%
Unknown	921	20.18%	501	54.40%	70	7.60%	350	38.00%

### Viral Suppression by Race/Ethnicity

Race/Ethnicity	Number of Clients	% of Clients	Virally Suppressed #	Virally Suppressed %	Non-Virally Suppressed #	Non-Virally Suppressed %	Unknown/Missing Labs #	Unknown/Missing Labs %
American Indian or Alaska Native	26	0.57%	21	80.77%	3	11.54%	2	7.69%
Asian	157	3.44%	139	88.54%	5	3.18%	13	8.28%
Black or African American	1166	25.54%	834	71.53%	114	9.78%	218	18.70%
Hispanic	1564	34.26%	1188	75.96%	118	7.54%	258	16.50%
More than one Race	108	2.37%	76	70.37%	16	14.81%	16	14.81%
Not Specified	30	0.66%	7	23.33%	1	3.33%	22	73.33%
Pacific Islander or Native Hawaiian	36	0.79%	27	75.00%	2	5.56%	7	19.44%
White (non-Hispanic)	1478	32.38%	1127	76.25%	94	6.36%	257	17.39%